



 **Tecnifibre**[®]
TENNIS 2014 - GB

TO THE ATP WORLD TOUR[™]



**DESIGNED
TO ADVANCE**

playlab
by Tecnifibre

RACKETS

THE FUTURE OF MENS' TENNIS IS TO CONVERT
DEFENSE INTO ATTACK IN A FRACTION OF A
SECOND

Velocity Shaft Design

11% LESS BEAM SIZE ON THE SHAFT FOR
MORE SPEED AND SPIN VS. A STANDARD
ELLIPTIC BEAM

THE PLAYLAB IS NOT A TECHNICAL GUARANTEE. IT IS
AN ON-COURT IMPLEMENTATION OF BELIEF WHICH IT SHARES
WITH TECNIFIBRE: TO HELP THE PLAYER PLAY BETTER.

STRINGS

LIGHT RACKETS (UNDER 300G) GENERATE:
- 43% LESS POWER
- 18% MORE SHOCKS

P400 inside
EXCLUSIVE PROCESS

400% ELASTICITY FOR MAXIMUM POWER
ABSORPTION OF SHOCKS AND VIBRATIONS
FOR LESS FATIGUE

A BADLY CARRIED BAG CAN LEAD TO:
- BACK PAIN
- DEFORMATION OF THE SPINAL COLUMN

ERGO
MAPPING
ENGINEERED



BAGS

A SLIPPERY GRIP WILL AFFECT:
- THE FLUIDITY OF YOUR SHOTS
- PERFORMANCE OF THE SHOT

waxresin

50% MORE TACKINESS FOR A BETTER GRIP

ACCESSORIES

ON THE ROAD

TO THE ATP WORLD TOUR™

ALJAZ BEDENE - 22 - ATP TOP 100

#TEAMONThEROAD



FLASH

VelocityShaftDesign

PLAYER PROFILE

Designed for the offensive player to convert defense into attack in a fraction of a second.

VelocityShaftDesign

11% less beam size for a standard elliptic Beam. Less bulkiness for more velocity and more spin.

TOURPREPARED

Directly inspired from the preparation of racket pros, silicon is used in the fibers of the handle to limit harmful vibrations.

SYNERGYLINK

A bi-composite PU (polyurethane) construction of the grommets to allow 18% more shock absorption to limit the vibration upon impact.



ON THE ROAD
TO THE ATP WORLD TOUR



FLASH 265

The light and powerful racket, ideal for young players.

VelocityShaftDesign

SYNERGYLINK

Weight: 265 g/9.3 oz
Headsize: 645 cm²/100 sq.in.
Balance: 335 mm/4 HL
Length: 68,5 cm/27 in.
String pattern: 16x19
Beam: 23 - 25 mm
Grip size: 0 to 3
Strung with: XR1 1.35 mm



FLASH 285

Strong feeling of power and stability.

VelocityShaftDesign

SYNERGYLINK

Weight: 285 g/10 oz
Headsize: 645 cm²/100 sq.in.
Balance: 325 mm/6 HL
Length: 68,5 cm/27 in.
String pattern: 16x19
Beam: 23 - 25 mm
Grip size: 1 to 4
Strung with: XR1 1.35 mm



FLASH 300

To change defense into attack in a fraction of a second.

VelocityShaftDesign

TOURPREPARED

Weight: 300 g/10.5 oz
Headsize: 645 cm²/100 sq.in.
Balance: 320 mm/6 HL
Length: 68,5 cm/27 in.
String pattern: 16x19
Beam: 23 - 25 mm
Grip size: 1 to 4
Sold Unstrung



FLASH 315

Huge power and spin potential!

VelocityShaftDesign

TOURPREPARED

Weight: 315 g/11.1 oz
Headsize: 645 cm²/100 sq.in.
Balance: 310 mm/10 HL
Length: 68,5 cm/27 in.
String pattern: 16x19
Beam: 23 - 25 mm
Grip size: 2 to 5
Sold Unstrung

PLAYER PROFILE

Baseline player – patient in the tactical approach.
 Precision with placement and trajectory.
 Rally duration: medium to long.

TOURPREPARED

Directly inspired from the preparation of racket pros, silicon is used in the fibers of the handle to limit harmful vibrations.

αSYNERGYLINK

A bi-composite PU (polyurethane) construction of the grommets to allow 18% more shock absorption to limit the vibration upon impact.



FIGHT 255

The best first price graphite racket for the U12 players.

αSYNERGYLINK

Weight: 255 g/9.0 oz
 Headsize: 645 cm²/100 sq.in
 Balance: 330 mm/4 HL
 Length: 68,5 cm/27 in.
 String pattern: 16x20
 Beam: 23 mm
 Grip: X-TRA FEEL - size 0 to 3
 Strung with: TGV 1.30 mm



FIGHT 280

The best racket to achieve a national ranking!

αSYNERGYLINK

Weight: 280 g/9.9 oz
 Headsize: 645 cm²/100 sq.in
 Balance: 325 mm/6 HL
 Length: 68,5 cm/27 in.
 String pattern: 16x20
 Beam: 23 mm
 Grip: X-TRA FEEL - size 1 to 4
 Strung with: TGV 1.30 mm



FIGHT 295 MP

To increase power and tolerance. Mid-plus frame size.

αSYNERGYLINK

Weight: 295 g/10.4 oz
 Headsize: 645 cm²/100 sq.in
 Balance: 325 mm/6 HL
 Length: 68,5 cm/27 in.
 String pattern: 16x20
 Beam: 23 mm
 Grip: X-TRA FEEL - size 1 to 4
 Sold Unstrung



FIGHT 295

To put more weight onto the ball and to increase spin.

TOURPREPARED

Weight: 295 g/10.4 oz
 Headsize: 615 cm²/95 sq.in
 Balance: 325 mm/6 HL
 Length: 68,5 cm/27 in.
 String pattern: 18x19
 Beam: 21.5 mm
 Grip: X-TRA FEEL - size 1 to 4
 Sold Unstrung



FIGHT 305

To be more precise and to reduce string breakage.

TOURPREPARED

Weight: 305 g/10.7 oz
 Headsize: 615 cm²/95 sq.in
 Balance: 325 mm/6 HL
 Length: 68,5 cm/27 in.
 String pattern: 18x19
 Beam: 21.5 mm
 Grip: X-TRA FEEL - size 1 to 4
 Sold Unstrung



FIGHT 320

The TFight of the Tour.

TOURPREPARED

Weight: 320 g/11.3 oz
 Headsize: 615 cm²/95 sq.in
 Balance: 310 mm/10 HL
 Length: 68,5 cm/27 in.
 String pattern: 18x19
 Beam: 21.5 mm
 Grip: X-TRA SHARP - size 2 to 5
 Sold Unstrung



FIGHT 325

The pinnacle of control. Played by Janko Tipsarevic. Also available in a XL version.

TOURPREPARED

Weight: 325 g/11.4 oz
 Headsize: 615 cm²/95 sq.in
 Balance: 310 mm/10 HL
 Length: 68,5 cm/27 in.
 String pattern: 18x19
 Beam: 21.5 mm
 Grip: X-TRA SHARP - size 2 to 5
 Sold Unstrung



PLAYER PROFILE

Player looking for performance.

THE DESIGN OF PRO RACKETS
THE ACCESSORIES USE BY THE PROS
THE PREPARATION OF PROS' RACKETS
BUT THE EASE OF USE PLAY
FOR THE INTERMEDIATE PLAYER

HOW TO CUSTOMIZE THE RACKETS

For more control



Stick on the lead tape at the interior of the shaft

For more power



Stick on the lead tape at 12h of the frame
Warning: do not stick on more than 10g in order to avoid a heavy feeling



FIT LITE 260

The lightest racket in the range.

Weight: 260 g/9.1 oz
Headsize: 660 cm²/102 sq.in.
Balance: 335 mm
Length: 68,5 cm/27 in.
String pattern: 16x19
Beam: 22,5/25 mm
Grip size: 1 to 4
Strung with: Synthetic Gut black 1.35 mm
Customization: ATP vibration dampener
+ Pro Player white overgrip: thickness 0.5 mm
+ 2 pcs of lead tape (2 g)



FIT 265

The light and easy to play racket.

Weight: 265 g/9.3 oz
Headsize: 660 cm²/102 sq.in.
Balance: 330 mm
Length: 68,5 cm/27 in.
String pattern: 16x19
Beam: 23 mm
Grip size: 1 to 4
Strung with: Synthetic Gut black 1.35 mm
Customization: ATP vibration dampener
+ Pro Player white overgrip: thickness 0.5 mm



FIT BLACK 275

The most tolerant racket in the range.

Weight: 275 g/9.8 oz
Headsize: 680 cm²/105 sq.in.
Balance: 325 mm
Length: 68,5 cm/27 in.
String pattern: 16x19
Beam: 24 mm
Grip size: 0 to 3
Strung with: Synthetic Gut black 1.35 mm
Customization: ATP vibration dampener
+ Pro Player white overgrip: thickness 0.5 mm



FIT CUSTOM 280

The best equipped racket in the range.

Weight: 280 g/9.8 oz
Headsize: 645 cm²/100 sq.in.
Balance: 325 mm
Length: 68,5 cm/27 in.
String pattern: 16x18
Beam: 22,5/25 mm
Grip size: 1 to 4
Strung with: TGV Black 1.30 mm
Customization: ATP vibration dampener
+ Pro Player white overGrip: thickness 0.5 mm
+ 2 pcs of lead tape (2 g)



JUNIOR

PERFORMANCE RANGE



T-FLASH 26

8 to 10 years old
 Weight: 250 g/8.8 oz
 Length: 662 mm/26 in.
 Grip size: 0
 3/4 Cover
 Graphite



T-FLASH 25

7 to 9 years old
 Weight: 225 g/7.9 oz
 Length: 637 mm/25 in.
 Grip size: 0
 3/4 Cover
 Graphite

IMPROVING RANGE



T-FIGHT 67

7 to 10 years old
 Weight: 260 g/9.1 oz
 Length: 670 mm/26.5 in.
 Grip size: 0
 3/4 Cover
 Composite



T-FIGHT 65

6 to 9 years old
 Weight: 250 g/8.8 oz
 Length: 650 mm/25.5 in.
 Grip size: 00
 3/4 Cover
 Composite



T-FIGHT 63

6 to 8 years old
 Weight: 240 g/8.4 oz
 Length: 630 mm/24.7 in.
 Grip size: 00
 3/4 Cover
 Composite

INITIATION RANGE



BULLIT 25

8 to 10 years old
 Weight: 235 g/8.3 oz
 Length: 637 mm/25 in.
 Grip size: 00
 3/4 Cover
 Aluminium



BULLIT 23

6 to 8 years old
 Weight: 200 g/7.0 oz
 Length: 586 mm/23.5 in.
 Grip size: 000
 3/4 Cover
 Aluminium



BULLIT 21

5 to 6 years old
 Weight: 185 g/6.5 oz
 Length: 535 mm/21 in.
 Grip size: 000
 3/4 Cover
 Aluminium



BULLIT 19

4 to 5 years old
 Weight: 166 g/5.8 oz
 Length: 480 mm/19 in.
 Grip size: 0000
 3/4 Cover
 Aluminium



BULLIT 17

3 to 4 years old
 Weight: 165 g/5.8 oz
 Length: 430 mm/17 in.
 Grip size: 0000
 Aluminium

SCHOOL BAG

A large bag allowing storage and transporting :
 24 junior rackets, 1 bag of 40 x Mini Tennis balls.

MINI TENNIS NET

Easy to set up and dismantle and transport.
 In its own carry bag. (Length 6m)



LUGGAGE

ENGINEERED TO RESIST

Tarpaulin material:
50% more resistant vs.
400D polyester.
Reinforced bartack
on all sensitive seams.
Thermally waterproof zippers.

ERGO WRAPPING ENGINEERED

Designed to be worn:
light and comfortable feeling.



PRO ATP

BAGS DEVELOPED TO WITHSTAND THE EXTREME CONDITIONS OF THE ATP WORLD TOUR™

ENGINEERED TO RESIST



- | | | | |
|--|---|--|--|
| <p>1 PRO ATP MONSTER
15 rackets bag
6 pockets
79 cm x 33 cm x 42 cm</p> | <p>2 PRO ATP 10R
10 rackets bag
5 pockets
79 cm x 33 cm x 34 cm</p> | <p>3 PRO ATP 6R
6 rackets bag
3 pockets
79 cm x 33 cm x 19 cm</p> | <p>4 PRO ATP 3R
3 rackets bag
2 pockets
79 cm x 33 cm x 10 cm</p> |
| <p>5 PRO ATP SPORT BAG
Sports bag
4 pockets
55 cm x 33 cm x 33 cm</p> | <p>6 PRO ATP ROLLING BAG
Competition bag with wheels
5 pockets
80 cm x 36 cm x 34 cm</p> | <p>7 PRO ATP BACKPACK
2 rackets back-pack
7 pockets
32 cm x 50 cm x 20 cm</p> | <p>8 PRO ATP MINI
Toiletry bag
1 pocket
29 cm x 13 cm x 13 cm</p> |

TEAM ATP

ERGONOMIC CARRYING SYSTEM FOR THE 'ON THE ROAD TO THE ATP WORLD TOUR™' GENERATION

ERGO WRAPPING ENGINEERED



- | | | |
|---|--|---|
| <p>1 TEAM ATP 12R
12 rackets bag
6 pockets
79 cm x 33 cm x 36 cm</p> | <p>2 TEAM ATP 9R
9 rackets bag
5 pockets
79 cm x 33 cm x 28 cm</p> | <p>3 TEAM ATP 6R
6 rackets bag
3 pockets
79 cm x 33 cm x 19 cm</p> |
| <p>4 TEAM ATP 3R
3 rackets bag
2 pockets
79 cm x 33 cm x 10 cm</p> | <p>5 TEAM ATP BACKPACK
2 rackets backpack
3 pockets
33 cm x 50 cm x 19 cm</p> | |

TOUR ATP

DESIGNED TO BE WORN: LIGHT AND COMFORTABLE FEELING

ERGO WRAPPING ENGINEERED



- | | | |
|---|---|---|
| <p>1 TOUR ATP 12R
12 rackets bag
6 pockets
79 cm x 33 cm x 36 cm</p> | <p>2 TOUR ATP 9R
9 rackets bag
5 pockets
79 cm x 33 cm x 28 cm</p> | <p>3 TOUR ATP 6R
6 rackets bag
3 pockets
79 cm x 33 cm x 19 cm</p> |
| <p>4 TOUR ATP 3R
3 rackets bag
2 pockets
79 cm x 33 cm x 10 cm</p> | <p>5 TOUR ATP BACKPACK
2 rackets back pack
3 pockets
33 cm x 50 cm x 19 cm</p> | |

STRINGS

PERFORMANCE PREMIUM RANGE



The best multifilament string.

PU400inside: 400% Elasticity for maximum comfort and dynamic performance.
50% fibre Elastyl®, **50% fibre H°C**: Maximum power and tension maintenance.
Process biphase: 20% improved durability.
Gauge: 1.18 mm/18, 1.24 mm/17, 1.30 mm/16



The best all-around string.

PU400inside: 400% Elasticity for maximum comfort and dynamic performance.
100% Polyamid: 3 PHP monofilaments + 544 filaments: Power and comfort.
SPL: (Silicium Pyrogené Lubritec) Anti abrasion coating to increase durability.
Gauge: 1.25 mm/17, 1.30 mm/16
 Also available in 200 m reels



The top string for power.

PU400inside: 400% Elasticity for maximum comfort and dynamic performance.
100% fibre Elastyl®: 12% more power vs a standard polyamid string.
SPL: (Silicium Pyrogené Lubritec) Anti abrasion coating to increase.
Gauge: 1.18 mm/18, 1.24 mm/17, 1.32 mm/16
 Also available in 200 m reels



The most accessible string in the Premium Range.

PU400inside: 400% Elasticity for maximum comfort and dynamic performance.
100% Polyamid: 1 PHP monofilament + 1125 filaments: Dynamic performance and durability.
SPL: (Silicium Pyrogené Lubritec) Anti abrasion coating to increase durability.
Gauge: 1.25 mm/17, 1.30 mm/16, 1.35 mm/15L
 Also available in 200 m reels



The most comfortable string, yet still resistant.

PU400inside: 400% Elasticity for maximum comfort and dynamic performance.
100% Polyamid multifilaments: Power and comfort.
SPL: (Silicium Pyrogené Lubritec) Anti abrasion coating to increase durability.
Gauge: 1.25 mm/17, 1.30 mm/16, 1.35 mm/15L, 1.40 mm/15
 Also available in 200 m reels (except Pink)

PERFORMANCE TEAM RANGE



The feeling of monofilament polyester without the shock and fatigue.

PUHDinside: 125% elasticity for a firm feeling and good control.
100% polyester multifilaments: The feeling of polyester, but softer.
SPL: (Silicium Pyrogené Lubritec) Anti abrasion coating to increase durability.
Gauge: 1.28 mm/16, 1.32 mm/15L, 1.37 mm/15



The best blend of resistance and comfort.

PUHDinside: 125% elasticity for a firm feeling and good control.
50% polyester multifilaments, 50% polyamid multifilaments: Increased comfort.
SPL: (Silicium Pyrogené Lubritec) Anti abrasion coating to increase durability.
Gauge: 1.25 mm/17, 1.30 mm/16, 1.35 mm/15L - 1.40 mm/15 (gauge available in reel)
 Also available in 200 m reels

ON THE ROAD
 TO THE ATP WORLD TOUR™

JANKO TIPSAREVIC - TEAM LEADER TECNIFIBRE
 #TEAMONTHEROAD

STRINGS

PERFORMANCE PRO RANGE



The string of the ATP World Tour Player's Program.
For spin and durability.

THERMOCORE: More flexibility for a polyester string.
High modulus polyester: Excellent durability.
Gauge: 1.20 mm/18, 1.25 mm/17, 1.30 mm/16
Also available in 200m reels
Also available in 110m reels (1.25 mm gauge)



New Packaging for all the Polyester reels.



The softest polyester string.

THERMOCORE: More flexibility for a polyester string.
Polyester flex: Softness, tolerance upon off center hits.
Pentagonal structure: For spin.
Gauge: 1.18 mm/18, 1.24 mm/17, 1.28 mm/16, 1.32 mm/15L
Also available in 200m reels
Also available in 110m reels (1.24mm and 1.28mm gauges)



Extra durable power.

THERMOCORE: More flexibility for a polyester string.
Co-polyester monofilament: Firm feeling.
Resin treatment: For more spin.
Gauge: 1.20 mm/18, 1.25 mm/17, 1.30 mm/16
Also available in 200m reels
Also available in 110m reels (1.25 mm gauge)



The best string for tension maintenance.

THERMOCORE: More flexibility for a polyester string.
Co-polyester monofilament: Firm feeling.
Biphase Process: 20% increased durability.
Gauge: 1.25 mm/17, 1.30 mm/16, 1.35 mm/15L
Also available in 200m reels (1.25 mm and 1.30 mm gauges)




The resistant and economic string.

Polyester Process: Durability and easy to string.
Co-polyester monofilament: Firm feeling.
Gauge: 1.25 mm/17, 1.275 mm/16L, 1.30 mm/16
Only available in 200 m reels




ALL-AROUND



SYNTHETIC GUT

The all-round string.

Single wrap technology.
Anti-abrasion treatment.
Gauge: 1.25 mm/17, 1.30 mm/16, 1.35 mm/15L
Also available in 200m reels



TS 60

The economic string for frequent breakers.

Single wrap technology in a thick gauge.
Anti-abrasion treatment.
Gauge: 1.38 mm/15L, 1.42 mm/15 (Only natural)



ON THE ROAD
TO THE ATP WORLD TOUR
DENIS KUDLA - 21 - ATP TOP 100
#TEAMONThEROAD



STRINGING MACHINES



ERGO ATP® TOURNAMENT

The version used on tour.
Touch screen colour screen
Dual action clamps
Electric brakes
String length measurer
Carbon designed hood
Electric stand

ERGO TOUCH

The premium version. Also available in personalized versions.
For more information visit www.tecnifibre.com
Touch screen colour screen
Dual action clamps
Electric brakes
String length measurer
Possibility to combine with an electrical base

ERGO PRO

The practical and efficient model.
A standard mono-color panel
Double action clamp mechanism
Possibility to combine with a mechanical base

TF 6000

The light and easy-to-use model.
Single action mechanics system
Display

STRINGING TOOLS

Awl
Starting clamp
Cutting nippers
Cam action pliers
Long nosed pliers
Pair of scissors

OFFICIAL PARTNERS:



BALLS

PREMIUM BALLS



X-ONE

The best quality for high-competition play. An excellent ball which is fast, durable and for high level players.

Rubber: Grand Prix Formula Rubber
Felt: 72% natural material (wool and cotton)
Available in pressurized metal tubes of 4 and 3 balls
Approved by the ITF / FFT / FIT



CLUB

The performance ball for competition use. An excellent ball which is comfortable, durable and adapted to players of all levels.

Rubber: Grand Touring Rubber
Felt: 55% natural material (wool and cotton)
Available in pressurized metal tubes of 4 balls and pressurized PET tubes of 3 and 4 balls
Approved by the ITF / FFT / FIT



COURT

A ball which provides good feeling and durability.

Rubber: Grand Touring Rubber
Felt: 50% natural material (wool and cotton)
Available in pressurized PET tubes of 3 and 4
Approved by the ITF / FFT



CHAMPION ONE

An all-round ball for either training or competition.

Rubber: Enduro Formula Rubber
Felt: 40% natural material (wool and cotton)
Available in PET tube of 4 and 3 (carton of 24 tubes)
Approved by the ITF / FFT



XLD

The extremely durable ball for leisure use. Non-pressurized ball.

Rubber: Enduro Formula Rubber
Felt: 40% natural material (wool and cotton)
Available in 3 ball boxes and in a tub of 72 balls



LEARNING BALLS



SOFT

A soft progression ball which is 25% slower.

Rubber: Grand Touring Rubber
Felt: 55% natural material (wool and cotton)
ITF approved - STAGE 1 - Play + Stay
In tubes of 3 balls and a bag of 72 balls



MINI TENNIS

A mini-tennis ball for learning which is 50% slower.


ITF approved - STAGE 2 - Play + Stay
In tubes of 3 balls and a bag of 72 balls



MY NEW BALL

A ball for introducing tennis to very small children. 75% slower.


In a pack of 3 balls
ITF approved - STAGE 3 - Play + Stay



MY BALL

The first ball to use for the youngest players. Foam ball. 75% slower.

Pack of 3 balls
ITF approved - STAGE 3



BALL BASKET

Capacity of 70 balls

OFFICIAL PARTNERS:





ACCESSORIES

OVERGRIPS

PRO CONTACT

Maximum tackiness.

waxresin
Thickness: 0.6 mm



Pack of 3 pieces.
● ○ ●



Sachet of 12 pieces.
○



50 pieces in a display box.
● x10 ○ x30 ● x10

PRO PLAYERS

The best combination between absorption and tackiness.

HYDRACELL
Thickness: 0.5 mm



Pack of 3 pieces.
● ○ ●



Sachet of 12 pieces.
○



Sachet of 30 pieces.
○

PRO DRY

The thinnest most absorbent overgrip in the range.

naturalfelt
Thickness: 0.4 mm



Pack of 3 pieces.
○

PRO OVERLAST

Long lasting and economic.

OVERLASTPU
Thickness: 0.7 mm



Pack of 3 pieces.
●



Box of 48 pieces.
● x18 ○ x12 ● x12 ● x6

GRIPS

X-TRA FULL

The top in tackiness and comfort.

waxresin
Thickness: 2.1 mm



● ○

X-TRA FEEL

The best combination of absorption and tackiness.

HYDRACELL
Thickness: 1.9 mm



● ○ ●

X-TRA SHARP

Very thin and firm grip for maximum feelings.

naturalfelt
Thickness: 1.7 mm



● ○

LEATHER

The choice of the tennis legends. Very soft natural leather.

Thickness: 1.5 mm



●

waxresin Resin which is up to 50% more tacky compared to a standard grip. **HYDRACELL** 5 times more absorbent compared to a standard grip.

naturalfelt Non-woven ultra-thin and absorbent felt material.

VIBRATION DAMPENERS

VIBRA CLIP

The choice of the pros.
clipTEC



Pack of 1 piece.
●

ATP DAMP



Pack of 2 pieces.
● ○
Box of 75 pieces.
● x25 ○ x25 ● x25

ATP DAMP XL

Vibration dampener across 6 strings



Pack of 1 piece.
●

LOGO DAMP



Pack of 2 pieces.
●

clipTEC Patented system to fix firmly onto the strings.

RACKET WORKSHOP

LEAD TAPE

Customize the weight of your racket to improve your performance.

10 pre-cut lead bars of 2 grams



●

PROTECT TAPE

4 pre-cut bars



○

STENCIL INK

30 ml



● ○ ● ●

RACKET WORKSHOP POLYBAG

Pack of 100 pieces



●

PLAYER

HEADBAND

1 headband per pack

Material: 90% cotton, 6% elastic, 4% nylon

● ○



WRISTBAND

2 wristbands per pack

Material: 90% cotton, 6% elastic, 4% nylon

● ○ ● ● ●



WRISTBAND XL

1 wristband per pack

Material: 90% cotton, 6% elastic, 4% nylon

● ○





T-Rebound women only ♀



T-Rebound 295 PRO

The racket dedicated for the tour in a mid-plus version.
OXSYNERGYLINK

Weight: 295 g/9,7 oz
Headsize: 645 cm²/100 sq.in.
Balance: 325 mm
Length: 68,5 cm /27 in.
String pattern: 16x20
Grip size: 1 to 3
Strung with: X-ONE Biphase 1.30mm



T-Rebound 275 PRO LITE

Efficient racket for advanced women player.

Weight: 275 g/10.4 oz
Headsize: 645 cm²/100 sq.in.
Balance: 325 mm/6 H.L
Length: 68,5 cm /27 in.
String pattern: 16x19
Grip size: 1 to 3
Strung with: TGV 1.30mm



T-Rebound 265 FEEL

A lot of comfort for a tolerant frame.

Weight: 265 g/9,3 oz
Headsize: 680 cm²/105 sq.in.
Balance: 334 mm
Length: 68,5 cm /27 in.
String pattern: 16x19
Grip size: 0 to 3
Strung with: TGV 1.35mm



T-Rebound 260 SOFT

An efficient and original racket in terms of its design.

Weight: 260 g/9.2 oz
Headsize: 660 cm²/102 sq.in.
Balance: 325 mm
Length: 68,5 cm /27 in.
String pattern: 16x19
Grip size: 0 to 3
Strung with: Synthetic Gut 1.35 mm



T-Rebound 270 FIT

The must-have racket for fun and fitness! An ultra-trendy design.

Weight: 270 g/9.5 oz
Headsize: 680 cm²/107 sq.in.
Balance: 325 mm
Length: 68,5 cm /27 in.
String pattern: 16x19
Grip size: 0 to 3
Strung with: Synthetic Gut 1.35 mm



T-Rebound 66

Weight: 250 g/8.8 oz
Length: 660 mm/26 in.
Grip size: 0
3/4 Cover



T-Rebound 62

Weight: 245 g/8.6 oz
Length: 620 mm/24.5 in.
Grip size: 00
3/4 Cover



T-Rebound 58

Weight: 195 g/6.9 oz
Length: 580 mm/22.7 in.
Grip size: 000
3/4 Cover



T-Rebound 54

Weight: 185 g/6.5 oz
Length: 540 mm/21 in.
Grip size: 000
3/4 Cover

LUGGAGE



1 T-REBOUND 10R

10 rackets bag
6 pockets
79 cm x 33 cm x 31 cm

2 T-REBOUND 6R

6 rackets bag
3 pockets
79 cm x 33 cm x 19 cm

3 T-REBOUND 3R

3 rackets bag
2 pockets
79 cm x 33 cm x 10 cm

4 T-REBOUND BACKPACK

2 rackets backpack
3 pockets
33 cm x 50 cm x 19 cm

ACCESSORIES



BALL CLIP



LARGE BALL



REBOUND OVERGRIP



REBOUND DAMPENER





WWW.TECNIFIBRE.COM

MAJOR SPORTS - RD 307 - 78 810 FEUCHEROLLES - FRANCE
TEL : (33) 1 30 54 97 10 - FAX : (33) 1 30 54 97 39